



**GARLAN CHAIN COMPANY INC.**

Our Special Import Line

**GARLAN CHAIN COMPANY INC.**

1903 COUNTY STREET, P.O. BOX 3186,  
SOUTH ATTLEBORO, MA 02703  
TEL 508-399-7288 FAX 508-761-8720  
Web Site: [www.garlanchain.com](http://www.garlanchain.com)  
E-mail: [sales@garlanchain.com](mailto:sales@garlanchain.com)

**General Information** \_\_\_\_\_

**ABOUT US**

Garlan Chain Company is a family owned and operated business that has been manufacturing chains in Attleboro Massachusetts since 1967. We have offered this import line for over 10 years to supplement our very extensive domestic line. Our reputation has been built not only on the quality of our products, but on our outstanding customer service as well.

The Garlan family would like to invite you to join our long list of satisfied customers and also express our thanks to those who have allowed us to serve their jewelry and fashion needs.

**CHAINS**

All chains are shown actual size. They are supplied on spools, hanks, cut to length or assembled as to your specifications. Chains in this catalog must be ordered in increments of their minimums\* listed on the side of each chain, However small samples are available upon request.

\*Minimums subject to change without notice.

**MATERIALS**

This particular catalog features imported fashion jewelry chains, a special import line that we offer. All chains pictured are soldered brass with the exception of those shown with an (X) which are unsoldered brass.

**FINISHES**

All chains are available raw or finished in many finishes such as: Gold, Silver, Imitation Rhodium (white), Gunmetal (hematite), Antique Copper, Antique Gold, Antique Silver, Brass Ox, Matte Gold and Matte Silver. Nickel-free finishes are also available when specified.

**Table of Contents** \_\_\_\_\_

Chains . . . . . 1-48

Style Index. . . . . 49





# Brass Chains

| Minimum |      | CURB | Item #    |
|---------|------|------|-----------|
| Inches  |      |      |           |
| 0       |      |      |           |
| —       | 656' |      | 135S      |
| —       | 492' |      | 145S      |
| —       | 492' |      | 150S      |
| 1       | 328' |      | 160S      |
| —       | 328' |      | 180S      |
| —       | 492' |      | 145SC     |
| —       | 328' |      | 160SC     |
| 2       | 328' |      | 180SC     |
| —       | 328' |      | 110ASC    |
| —       | 328' |      | 125BS     |
| 3       | 492' |      | 145B2SC   |
| —       | 328' |      | 150BSC    |
| —       | 328' |      | 160B2SC   |
| —       | 328' |      | 180B3SC   |
| 4       | 164' |      | 110BSC    |
| —       | 492' |      | 145SKS    |
| —       | 164' |      | 110AS/CSR |
| 5       | 328' |      | 1200A/CSR |
| —       | 164' |      | JQHD-1.8  |
| —       | 164' |      | 112-9MBS  |
| 6       | 164' |      | 118-9BS   |
| —       | 164' |      | 124-9MBS  |
| 7       |      |      |           |



## Brass Chains

| Minimum |        | CURB                                                                                | Item #        |
|---------|--------|-------------------------------------------------------------------------------------|---------------|
| Inches  |        |                                                                                     |               |
| 0       | 164'   |    | 112-7BS/SPT   |
|         | 328'   |    | 112-7BS/2-1N  |
|         | 164'   |    | 116-7BS/2-1N  |
| 1       | 164'   |    | 1200-7BS/2-1N |
|         | 164'   |    | 1200-7BS/1-1N |
| 2       | 82'    |    | 1250-7BS/1-2N |
|         | 164'   |    | T-150S        |
|         | 164'   |    | J-116BDF      |
| 3       | 65.6'  |    | J-20B/4DF     |
|         | 65.6'  |    | J-1130B/4DF   |
| 4       | 131.2' |    | JB-15/4DF     |
|         | 164'   |   | J-111QWFF     |
| 5       | 82'    |  | J-114QWFF     |
|         | 82'    |  | J-118QWFF     |
| 6       | 82'    |  | 1200CH4/SPT   |
|         | 82'    |  | 1250CH4/SPT   |
| 7       |        |                                                                                     |               |



# Brass Chains

Minimum

## CURB

Item #

Inches

0

164'


82'

1

82'

82'

2



114B5CO/SPT

116B5CO/SPT

1200CO/SPT

1250CO/SPT

## CURB W/ RHINESTONE

3

82'

4

49.2'

5


49.2'

49.2'

6

49.2'

49.2'



118-7B/RS  
DISCONTINUED

1200-7B/RS

1200-B/RS  
DISCONTINUED

1300-7B/RS

118-7B/T/CRY



118-7B/T/CRY+EME

118-7B/T/CRY+MON

118-7B/T/CRY+RBY



# Brass Chains

| Minimum |      | CABLE                                                                               | Item #    |
|---------|------|-------------------------------------------------------------------------------------|-----------|
| Inches  |      |                                                                                     |           |
| 0       | 656' |    | 235S      |
| —       | 492' |    | 245S      |
| —       | 328' |    | 250S      |
| —       | 328' |    | 260S      |
| 1       | 328' |    | 260AS     |
| —       | 328' |    | 260BS     |
| —       | 164' |    | 212AS     |
| —       | 984' |    | 225B4SD   |
| 2       | 656' |    | 235SD     |
| —       | 482' |    | 245SD     |
| —       | 656' |    | 230SF     |
| —       | 656' |    | 235SF     |
| —       | 482' |    | 245SF     |
| 3       | 328' |    | 245SCF    |
| —       | 328' |    | 250B2SF   |
| —       | 328' |    | 255SF     |
| —       | 328' |    | 265SF     |
| 4       | 492' |    | 245SR     |
| —       |      |                                                                                     |           |
| —       |      |                                                                                     |           |
| 5       |      |                                                                                     |           |
| —       | 164' |  | 210B5SF/N |
| —       | 164' |  | FG-12SBW  |
| 6       | 82'  |  | EYE-1     |
| —       | 164' |  | J-814-6H  |
| 7       |      |                                                                                     |           |

## FANCY









# Brass Chains

| Minimum | STATION | Item #                   |
|---------|---------|--------------------------|
| Inches  |         | 4-CN                     |
| 0       |         | 4-PN                     |
| —       |         | 5-PN                     |
| —       |         | 25-3BLN                  |
| 1       |         | LDK-3RT                  |
| —       |         | SQP-12L                  |
| —       |         | 5030S                    |
| —       |         | 5030SC                   |
| 2       |         | 5045-1S/CSR              |
| —       |         | 5060-1S/CSR              |
| —       |         |                          |
| —       |         | 640S<br>DISCONTINUED     |
| 3       |         | 670S<br>DISCONTINUED     |
| —       |         | 690SR                    |
| —       |         | 690S/DC2<br>DISCONTINUED |
| —       |         |                          |
| 4       |         |                          |
| —       |         |                          |
| —       |         |                          |
| —       |         |                          |
| —       |         |                          |
| 5       |         |                          |
| —       |         |                          |
| —       |         |                          |
| —       |         |                          |
| 6       |         |                          |
| —       |         |                          |
| —       |         |                          |
| —       |         |                          |
| 7       |         |                          |








## Brass Chains

| Minimum |      | SWAGED                                                                              | Item #      |
|---------|------|-------------------------------------------------------------------------------------|-------------|
| Inches  | 492' |    | 150SA15     |
| 0 —     | 492' |    | 160SA15     |
| —       | 656' |    | 180SA15     |
| —       | 328' |    | 110SA15     |
| —       | 656' |    | 160SA41     |
| 1 —     |      |    | 110SA41     |
| —       | 492' |    | 160SA45     |
| —       | 656' |    | 180SA45     |
| —       | 656' |    | 145SA52     |
| 2 —     | 492' |    | 160SA52     |
| —       | 328' |    | 180SA52     |
| —       |      |    | 110SA52     |
| —       | 656' |    | 145SA52/N   |
| 3 —     | 328' |    | 160SA52/N   |
| —       | 492' |    | 180SA52/N   |
| —       | 656' |    | 135SA53     |
| —       | 328' |    | 145SA53     |
| —       | 492' |    | 160SA53     |
| 4 —     | 656' |   | 180SA53     |
| —       | 164  |  | 110SA53E2/T |
| —       | 984' |  | 135SA53/T   |
| —       | 492' |  | 145SA53/T   |
| 5 —     | 328' |  | 160SA53/T   |
| —       | 328' |  | 180SA53/T   |
| —       | 328' |  | 110SA53/T   |
| 6 —     | 328' |  | 152SA53/T   |
| —       | 656' |  | 135SA54     |
| —       | 656' |  | 145SA54     |
| —       | 492' |  | 160SA54     |
| 7 —     | 328' |  | 180SA54     |



# Brass Chains

| Minimum |      | SWAGED                                                                              | Item #                    |
|---------|------|-------------------------------------------------------------------------------------|---------------------------|
| Inches  | 492' |    | 160SA55                   |
| 0 —     | 656' |    | 180SA55                   |
| —       |      |    | 160SA56<br>DISCONTINUED   |
| —       | 328' |    | 112SA56                   |
| —       | 164' |    | 114SA56                   |
| 1 —     | 164' |    | 116SA56                   |
| —       | 164' |    | 160SA57                   |
| —       |      |    | 180SA58<br>DISCONTINUED   |
| 2 —     |      |    | 180SA58R2<br>DISCONTINUED |
| —       | 656' |    | 245SA1                    |
| —       | 492' |    | 260SA1                    |
| —       | 492' |    | 280SA1                    |
| 3 —     | 328' |    | 210SA1                    |
| —       | 328' |    | 212SA1                    |
| —       |      |    | 260SA12<br>DISCONTINUED   |
| 4 —     |      |    | 280SA12<br>DISCONTINUED   |
| —       | 328' |    | 260SA14                   |
| —       | 328' |    | 280SA14                   |
| —       | 492' |   | 260SA14E2                 |
| 5 —     | 656' |  | 280SA14E2                 |
| —       | 328' |  | 210SA14E2                 |
| —       | 492' |  | 260SA24                   |
| —       | 492' |  | 260SA25                   |
| 6 —     | 492' |  | 260SA54                   |
| —       | 656' |  | 240SA55                   |
| —       | 656' |  | 245SA55                   |
| —       | 492' |  | 260SA55                   |
| 7 —     | 656' |  | 280SA55                   |



# Brass Chains


Minimum

## SWAGED

Item #

Inches

492'



260SA1RK

492'

280SA1RK

328'

210SA1RK

328'

212SA1RK

DM-10  
DISCONTINUED  
K-280SA  
DISCONTINUED

## CURB W/DC

328'

135AZS/DC2

328'

145AZS/DC2

328'

150AS/DC2  
DISCONTINUED  
160AZS/DC2

328'

180AZS/DC2

328'

110AZS/DC4

82'

110BP2S/DC2

164'

114A/DC2

82'

116A/DC2

164'

114A/DC4

82'

116A/DC4

82'

116A/DCB/DCL

82'

1200A/DCB/DCL

82'

1250A/DCB/DCL



## Brass Chains

Minimum

### CURB W/DC

Item #

Inches

0

164'



(X)

1220/DC4

—

164'



(X)

1250/DC4

—

1

328'



(X)

110B2/DC4

—

328'



(X)

112B2/DC4

—

164'



(X)

115B2/DC4

2

164'



(X)

118B2/DC4

—

164'



(X)

1250B2/DC4

3

164'



(X)

1300B2/DC4

—

164'



(X)

118/DC8

—

4

164'



(X)

1220/DC10

—

164'



(X)

1200B3/DC8

5

—

### HERRINGBONE

328'



145DEF/DC2

—

328'



160DEF/DC2

6

328'



180DEF/DC2

—


164'



110DEF/DC2

—

164'



112DEF/DC2

7








[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains

| Minimum |      | HERRINGBONE                                                                         | Item #                     |
|---------|------|-------------------------------------------------------------------------------------|----------------------------|
| Inches  |      |                                                                                     |                            |
| 0 —     | 82'  |    | 114DEF/DC2                 |
| —       | 328' |    | 160DEF/DC2R                |
| —       | 328' |    | 180DEF/DC2R                |
| 1 —     | 164' |    | 110DEF/DC2R                |
| —       | 164' |    | 112DEF/DC2R                |
| 2 —     | 82'  |    | 116DEF/DC2R                |
| —       | 328' |    | 145DEF/DC6                 |
| —       | 328' |    | 160DEF/DC6                 |
| 3 —     | 328' |    | 180DEF/DC6                 |
| —       | 164' |    | 110DEF/DC6                 |
| —       | 164' |   | 112DEF/DC6                 |
| 4 —     |      |  | 114DEF/GLX<br>DISCONTINUED |
| —       | 164' |  | 180DEFR2/DCK               |
| 5 —     | 328' |  | 160THB/DC2                 |
| —       | 164' |  | 180THB/DC2                 |
| —       |      |  | 110THB/DC2<br>DISCONTINUED |
| 6 —     |      |  | 160THB/DC6<br>DISCONTINUED |
| —       | 164' |  | 180THB/DC6                 |
| 7 —     |      |  | 110THB/DC6<br>DISCONTINUED |

Inches

0

—

—

—

1

—

—

2

—

—

—

3

—

—

—

4

—

—

—

5

—

—

6

—

—

—

7

**HERRINGBONE**


Item #

164'

164'

164'

164'



**110THBR2/DCK**  
DISCONTINUED

**112THBR2/DCK**  
DISCONTINUED

**JSC-12VW**

**KHB-10/DCL**

**KHB-10/DCS**

**KHB-10/DCW**

**CABLE W/ DC**

328'


328'

328'

328'

328'

328'



**245AS/DC4**

**245SD/DC4**

**255SD/DC4**

**240B3SD/DC4**

**260B1SD/DC4**

**280B2SD/DC4**

**SCROLL W/ DC**


656'

328'

328'

164'

164'



**5030S/DC2**

**5045S/DC2**

**5060S/DC2**

**5080S/DC2**

**5012/DC2**

X



# Brass Chains

Minimum

SWAGED W/DC

Item #

Inches

|      |      |                                                                                     |                 |
|------|------|-------------------------------------------------------------------------------------|-----------------|
| 0    | 328' |    | 135SA14/DC2     |
| —    | 328' |    | 145SA14/DC2     |
| —    | 328' |    | 160SA14/DC2     |
| —    | 328' |    | 180SA14/DC2     |
| 1    | 328' |    | 110SA14/DC2     |
| —    | 328' |    | 112SA14/DC2     |
| —    | 164' |    | 114SA14/DC2     |
| 2    | 164' |    | 116SA14/DC2     |
| —    | 82'  |    | 1200SA14/DC2    |
| 3    | 328' |    | 160SA14/DC6     |
| —    | 328' |    | 180SA14/DC6     |
| —    | 328' |    | 110SA14/DC6     |
| —    | 328' |    | 112SA14/DC6     |
| 4    | 164' |    | 114SA14/DC6     |
| —    | 164' |    | 116SA14/DC6     |
| —    | 82'  |    | 180SA14R2/DCB   |
| 5    | 328' |    | 110SA14R2/DCB   |
| —    | 328' |    | 112SA14R2/DCB   |
| —    |      |    | 114SA14R2/DCBL2 |
| 6    | 328' |    | DISCONTINUED    |
| —    | 328' |    | 110SA14/DCM1    |
| —    | 328' |   | 110SA14/DCM8    |
| 328' |      |  | 112SA14/DCM8    |
| 7    |      |                                                                                     |                 |






www.Garlanchain.com

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered




# Brass Chains

| Minimum      |              | SWAGED W/ DC                                                                        | Item #                      |
|--------------|--------------|-------------------------------------------------------------------------------------|-----------------------------|
| Inches       | 164'         |    | 116SA14M30/DC1              |
| 0 —          | 100'         |    | 1193SA14F/DC1               |
| —            | 328'         |    | 180SA14HW2/DC2              |
| —            | 328'         |    | 110SA14HW2/DC2              |
| 1 —          | 328'         |    | 112SA14HW2/DC2              |
| —            | DISCONTINUED |    | 160SA14Z/SKDC               |
| DISCONTINUED | 328'         |    | 180SA14Z/SKDC               |
| 2 —          | 328'         |    | 112SA14CR2/DC2              |
| —            | 328'         |    | 160SA15/DC2R                |
| —            | 328'         |    | 180SA15/DC2R                |
| —            | 328'         |    | 110SA15/DC2R                |
| 3 —          | DISCONTINUED |    | J-112SPR<br>DISCONTINUED    |
| —            | 328'         |    | 160SA45/DC4<br>DISCONTINUED |
| —            | 328'         |   | 180SA52/DC2R                |
| 4 —          | 328'         |  | 110SA52/DC2R                |
| —            | 328'         |  | 112SA52/DC2R                |
| —            | 164'         |  | 114SA52/DC2R                |
| 5 —          | 164'         |  | 116SA52/DC2R                |
| —            | 328'         |  | 180SA52/DC2RN               |
| —            | 328'         |  | 135SA53/DC2                 |
| —            | 328'         |  | 140SA53/DC2                 |
| 6 —          | 328'         |  | 145SA53/DC2                 |
| —            | 328'         |  | 160SA53/DC2                 |
| —            | 328'         |  | 180SA53/DC2                 |
| 7 —          | 328'         |  | 110SA53/DC2                 |



## Brass Chains

| Minimum |      | SWAGED W/DC                                                                        | Item #                       |
|---------|------|------------------------------------------------------------------------------------|------------------------------|
| Inches  | 328' |   | 135SA55/DC4                  |
| 0       | 328' |   | 145SA55/DC4                  |
|         | 328' |   | 160SA55/DC4                  |
|         | 328' |   | 180SA55/DC4                  |
|         | 656' |   | 160SA56/DC2                  |
| 1       | 328' |   | 110SA56/DC6                  |
|         | 328' |   | 112SA56/DC6                  |
|         | 328' |   | 114SA56/DC6                  |
|         | 328' |   | D-180SA56/DC2                |
| 2       | 164' |   | D-110SA56/DC2                |
|         |      |   | 160SA56/DC2R<br>DISCONTINUED |
|         | 328' |   | 180SA56/DC2R                 |
|         | 328' |   | 110SA56/DC2R                 |
| 3       | 328' |   | 112SA56/DC2R                 |
|         | 164' |   | 114SA56/DC2R                 |
|         | 164' |   | 116SA56/DC2R                 |
| 4       |      |   | 180SA58/DC2<br>DISCONTINUED  |
|         | 328' |   | 180SA53/DC6                  |
|         | 328' |   | 110SA53/DC6                  |
|         |      |   | 260DM10/DC4<br>DISCONTINUED  |
| 5       |      |   | 280SA11/DC2<br>DISCONTINUED  |
|         |      |   | 235SA14/DC2<br>DISCONTINUED  |
|         | 328' |   | 245SA14/DC2                  |
|         | 328' |   | 260SA14/DC2                  |
| 6       | 328' |   | 280SA14/DC2                  |
|         | 328' |   | 210SA14/DC2                  |
|         | 328' |   | 210SA14/DC6                  |
| 7       | 328' |  | 212SA14/DC6                  |

www.Garlanchain.com

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains

| Minimum |      | SWAGED W/DC | Item #          |
|---------|------|-------------|-----------------|
| Inches  | 328' |             | 280SA14E2/DC6   |
| 0 —     | 328' |             | 210SA14E2/DC6   |
| —       | 328' |             | 212SA14E2/DC6   |
| —       | 328' |             | 260SA24/DC2     |
| 1 —     | 328' |             | 245SA25/DC2     |
| —       | 328' |             | 260SA25/DC2     |
| —       | 328' |             | 280SA25/DC2     |
| —       | 328' |             | 210SA25/DC2     |
| 2 —     | 328' |             | 245SA25/DC2R    |
| —       | 328' |             | 260SA25/DC2R    |
| —       | 328' |             | 280SA25/DC2R    |
| —       | 328' |             | 210SA25/DC2R    |
| 3 —     | 328' |             | 260SA25E2/DC2RS |
| —       | 328' |             | 280SA25E2/DC2RS |
| —       | 656' |             | 240SA25/DC4     |
| —       | 328' |             | 245SA25/DC4     |
| —       | 328' |             | 260SA25/DC6     |
| 4 —     | 328' |             | 280SA25/DC6     |
| —       | 328' |             | 210SA25/DC6     |
| —       | 328' |             | 235SA55/DC4     |
| —       | 328' |             | 240SA55/DC4     |
| 5 —     | 328' |             | 245SA55/DC4     |
| —       | 328' |             | 250SA55/DC4     |
| —       | 328' |             | 260SA55/DC4     |
| —       | 328' |             | 280SA55/DC4     |
| 6 —     | 328' |             | 210SA55/DC4     |
| —       | 328' |             | 245SA55/DC4N1   |
| —       | 328' |             | 260SA55/DC4N1   |
| —       | 328' |             | 280SA55/DC4N1   |
| 7 —     | 328' |             | 210SA55/DC4N1   |



## Brass Chains


Minimum

### SWAGED W/ DC

Item #

Inches

0 — 328'



210SA71/DC2

212SA71/DC2

210SAKR/DC2

212SAKR/DC2


5080SA55/DC4

150SE/DC  
DISCONTINUED  
114ST/DC

J-110DT  
DISCONTINUED

### BRICK

3 — 65.6'



SSC-B1

SSC-B2

SSC-B3

SSC-B4  
DISCONTINUED

SSC-B5  
DISCONTINUED

SSC-B6  
DISCONTINUED

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains

Minimum


## BRICK

Item #

Inches

0


49.2'



SSC-B15

1

65.6'



BRICK-KYL3

131.2'



ILS-G1

2

328'

## BRAIDED ROPE



BR-25/DC2R

164'



BR-32/DC2R

3

164'



BR-40/DC2R

328'



J-89DW

164'



J-810DW

4

## BYZANTINE

82'



BZ-24/DC4

82'



BZ-32/DC4

5

82'




BZ-40/DC4

6

## HEART COBRA

656'




CH-4/DC2

328'



CH-6/DC2

164'



CH-8/DC2

164'



CH-10/DC2

7

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains


Minimum

## HEART COBRA

Item #

Inches  
0

164'



CH-12DC2R

LK-210  
DISCONTINUED

## CLEOPATRA

1

164'



CP-30M35/DC1

164'



CP-40M35/DC1

164'



CP-50M35/DC1

2

82'



CP-60M35/DC1

## CRAB

3

328'



CRB-08/CB/SPT

164'



CRB-10/CB/SPT

164'



CRB-12/CB/SPT

4

82'



CRB-15/CB/SPT

328'



CRB-08/DC2

5

164'



CRB-10/DC2

164'



CRB-12/DC2

6



115WS/DC2  
DISCONTINUED

## DOUBLE CURB W/DC

164'  
7



D-160S/DC2



# Brass Chains


Minimum

## DOUBLE CURB W/DC

Item #

Inches

0 — 164'




D-180S/DC2

D-110S/DC2

D-118A/DC2

## DOUBLE CABLE

— 656'



D-225AS

D-230AS

D-235AS

D-245AS

D-230S

D-235S

D-240S

D-250S

D-260S

D-260-2S

D-280-2S

D-212-2S

2 — 492'

— 328'

— 328'

— 492'

3 — 492'

— 328'

— 164'

— 164'


4 — 164'

— 164'

— 82'

## TWISTED ROPE

— 164'



D-235AS/N3

D-250AS/N3

D-260AS/N3

D-280AS/N3

D-210AS/N3

D-212AS/N3

D-216AS/N3

6 — 328'

— 131.2'

— 131.2'

7 — 65.6'

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



Minimum


## Brass Chains

### DOUBLE FRENCH ROPE

Item #

Inches

0 —  
— 131.2' —  
—  
—  
1 — 65.6' —  
—  
—  
—  
2 —



**DFR-30**  
DISCONTINUED


**DFR-40**

**DFR-50**  
DISCONTINUED

**DFR-60**

### EMBLEM OVAL DC

— 328' —  
— 328' —  
— 164' —  
3 — 164' —  
—  
—  
4 —



**EBR-08/DCR2**


**EBR-10/DCR2**

**EBR-12/DCR2**

**EBR-14/DCR2**

### FOXTAIL

— 164' —  
— 656' —  
— 656' —  
5 — 328' —  
— 164' —  
— 164' —  
6 — 492' —  
— 984' —  
— 164' —  
— 164' —  
7 —



**F-12**

**F-16**

**F-17**

**F-20**

**F-30**

**F-16/DC4**

**F-20/DC4**

**F-16A2**

**F-16A2/DC2**

**F-20A2/DC2**

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains

| Minimum |      | FOXTAIL                         | Item #                 |
|---------|------|---------------------------------|------------------------|
| Inches  |      |                                 |                        |
| 0       | 164' |                                 | F-30A2/B/DC2           |
| —       | 82'  |                                 | F-40A2/DC2             |
| —       | 164' |                                 | F-16A11/DC2            |
| 1       | 164' |                                 | F-20A11/DC2            |
| —       | 164' |                                 | F-30A11/DC2            |
| —       | 82'  |                                 | F-40A11/DC2            |
| 2       |      |                                 | F-16KL<br>DISCONTINUED |
| —       | 328' |                                 | F-10N3                 |
| —       | 164' |                                 | F-12N3                 |
| —       | 164' |                                 | F-16N3                 |
| 3       | 164' |                                 | F-20N3                 |
| —       | 164' |                                 | F-30N3                 |
| —       | 164' |                                 | F-20NA11               |
| 4       | 164' |                                 | F-30NA11               |
| —       | 82'  |                                 | F-40NA11               |
| —       | 328' |                                 | F-16A1                 |
| 5       | 164' |                                 | F-20A1                 |
| —       | 164' |                                 | F-30A1                 |
| —       |      |                                 | F-20TR<br>DISCONTINUED |
| 6       |      |                                 | F-30TR<br>DISCONTINUED |
| —       | 656' |                                 | FR-20                  |
| —       | 164' |                                 | FS-20                  |
| 7       |      |                                 | NS-FS-08               |
|         |      | Available Only in Nickel Silver |                        |



# Brass Chains

| Minimum |      | FIGARO | Item #                      |
|---------|------|--------|-----------------------------|
| Inches  | 328' |        | FG-160SDF(3:1)              |
| 0       | 164' |        | FG-112S(3:1)                |
| —       | 164' |        | FG-112SF(3:1)               |
| —       | 1    |        | JFC-112/ORD<br>DISCONTINUED |
| 1       | 82'  |        | FG-1200/2F(3:1)             |
| —       | 328' |        | FG-180BWFF                  |
| 2       | 164' |        | FG-110BWFF                  |
| —       | —    |        |                             |
| —       | —    |        |                             |
| 3       | —    |        |                             |
| —       | —    |        |                             |
| —       | —    |        |                             |

## GRACE

|      |                        |         |
|------|------------------------|---------|
| 164' |                        | G-40    |
| —    | U.S. PAT. Des. 283,018 |         |
| 4    | 164'                   | G-50    |
| —    | U.S. PAT. Des. 283,018 |         |
| —    | 164'                   | G-31    |
| —    | U.S. PAT. Des. 281,958 |         |
| —    | 164'                   | G-41    |
| —    | U.S. PAT. Des. 281,958 |         |
| 5    | 164'                   | G-51    |
| —    | U.S. PAT. Des. 281,958 |         |
| —    | 164'                   | G-33    |
| —    | U.S. PAT. Des. 281,588 |         |
| —    | 164'                   | G-43    |
| —    | U.S. PAT. Des. 281,588 |         |
| 6    | 164'                   | G-34    |
| —    | U.S. PAT. Des. 281,589 |         |
| —    | 164'                   | G-44    |
| —    | U.S. PAT. Des. 281,589 |         |
| 7    | 164'                   | G-50FLA |



# Brass Chains

| Minimum |      | GRACE | Item #      |
|---------|------|-------|-------------|
| Inches  | 164' |       | G-40M18/DC2 |
| 0       | —    |       |             |
|         | 164' |       | G-50M18/DC2 |
|         | —    |       |             |
|         | 82'  |       | G-60M18/DC2 |
| 1       | —    |       |             |
|         | 164' |       | G-53M18/DC1 |
|         | —    |       |             |
|         | 164' |       | G-40M51B    |
|         | —    |       |             |
| 2       | 164' |       | G-50M51B    |
|         | —    |       |             |
|         | 82'  |       | G-60M51B    |
|         | —    |       |             |

## GALAXY CHAINS

|      |                        |             |
|------|------------------------|-------------|
| 164' |                        | G-30M30/DC1 |
| —    | U.S. PAT. Des. 299,814 |             |
| 164' |                        | G-40M30/DC1 |
| —    | U.S. PAT. Des. 299,814 |             |
| 4    | 164'                   | G-50M30/DC1 |
| —    | U.S. PAT. Des. 299,814 |             |
|      | 82'                    | G-60M30/DC1 |
| —    | U.S. PAT. Des. 299,814 |             |
| 5    |                        |             |

## PEPPERMINT STRIPE


|      |      |             |
|------|------|-------------|
| 164' |      | G-30M53/DC1 |
| —    |      |             |
| 6    | 164' | G-40M53/DC2 |
| —    |      |             |
|      | 164' | G-50M53/DC2 |
| —    |      |             |
|      | 82'  | G-60M53/DC2 |
| 7    |      |             |





# Brass Chains

| Minimum |        | GC-GC                                                                             | Item #                   |
|---------|--------|-----------------------------------------------------------------------------------|--------------------------|
| Inches  | 131.2' |  | GC-OS                    |
| 0       | 131.2' |  | GC-OL/DV                 |
| —       | 131.2' |  | GC-OS/DV                 |
| 1       |        |  | SL-661/1<br>DISCONTINUED |
| —       | 131.2' |  | S-C                      |

|   |      | HERRINGBONE                                                                         |           |
|---|------|-------------------------------------------------------------------------------------|-----------|
| 2 | 328' |    | HB-35/DC2 |
| — | 328' |    | HB-45/DC2 |
| 3 | 164' |    | HB-06/DC2 |
| — | 164' |    | HB-08/DC2 |
| — | 164' |    | HB-10/DC2 |
| 4 | 82'  |    | HB-12/DC2 |
| — | 82'  |    | HB-14/DC2 |
| — | 82'  |   | HB-14/DC3 |
| 5 | 328' |  | HB-35/DC6 |
| — | 328' |  | HB-45/DC6 |
| — | 164' |  | HB-06/DC6 |
| — | 164' |  | HB-08/DC6 |
| 6 | 164' |  | HB-10/DC6 |
| — | 82'  |  | HB-12/DC6 |
| 7 | 82'  |  | HB-14/DC6 |




# Brass Chains

Minimum

## HERRINGBONE

Item #

Inches



|   |      |                                                                                     |              |
|---|------|-------------------------------------------------------------------------------------|--------------|
| 0 | 164' |    | HB-10/DCM1   |
| — | 164' |    | HB-08/DCM3   |
| — | 164' |    | HB-10/DCM8   |
| 1 | 164' |    | HB-08E2/DCB  |
| — | 164' |    | HB-10E2/DCB  |
| — | 164' |    | HB-45E2/DCK  |
| 2 | 164' |    | HB-06E2/DCK  |
| — | 164' |    | HB-08E2/DCK  |
| — | 164' |    | HB-10E2/DCK  |
| 3 | 82'  |    | HB-12E2/DCK  |
| — | 82'  |    | HB-14E2/DCK  |
| — | 164' |    | HB-08E2/DCM2 |
| 4 | 164' |    | HB-45FL2/DCB |
| — | 164' |  | HB-06FL2/DCB |
| — | 164' |  | HB-08FL2/DCB |
| 5 | 164' |  | HB-10FL2/DCB |
| — | 82'  |  | HB-12FL2/DCB |
| — | 82'  |  | HB-14FL2/DCB |
| 6 | 82'  |  | HB-12M18/DC1 |
| — | 164' |  | HB-08M30/DC1 |
| 7 |      |                                                                                     |              |

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720



# Brass Chains

| Minimum |       | HERRINGBONE                                                                         | Item #       |
|---------|-------|-------------------------------------------------------------------------------------|--------------|
| Inches  | 164'  |    | HB-10M30/DC1 |
| 0 —     | 82'   |    | HB-12M30/DC1 |
| —       | 82'   |    | HB-14M30/DC1 |
| —       | 82'   |    | HB-12RB      |
| 1 —     | 328'  |    | HB-45/SKD2   |
| —       | 164'  |    | HB-06/SKD2   |
| —       | 492'  |    | HBO-45       |
| 2 —     | 164'  |    | HBO-06       |
| —       | 164'  |    | HBO-08       |
| —       | 164'  |    | HBO-10       |
| 3 —     | 164'  |    | HBO-06/DC2R  |
| —       | 164'  |    | HBO-08/DC2R  |
| —       | 164'  |    | HBO-10/DC2R  |
| 4 —     | 164'  |    | HBO-45RK     |
| —       | 164'  |  | HBO-06RK     |
| —       | 164'  |  | HBO-08RK     |
| 5 —     | 164'  |  | HBO-10RK     |
| —       | 82'   |  | HBO-12RK     |
| —       |       |                                                                                     |              |
| 6 —     |       |                                                                                     |              |
| —       |       |                                                                                     |              |
| —       | 32.8' |  | HC-18        |
| —       | 32.8' |  | HC-184       |
| 7 —     |       |                                                                                     |              |

## TURKISH ROPE

www.Garlanchain.com

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



## Brass Chains

Minimum


### FRENCH ROPE SOLDERED

Item #

Inches

0

32.8'



HFR-04

—

32.8'



HFR-05

—

32.8'



HFR-06

—

32.8'



HFR-08

1

—

32.8'



HFR-10

—

32.8'



HFR-12

2

—

32.8'



HFR-16

—

16.4'



HFR-22

3

—

32.8'



HFR-05/CSR

—

32.8'



HFR-06/CSR

—

32.8'



HFR-08/CSR

4

—

32.8'



HFR-10/CSR

—

32.8'



HFR-12/CSR

5

—

### CLUSTER

6

—

32.8'



CLS-R

—

32.8'



CLS-S

—

32.8'



CLS-T

7

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains

Minimum

## FRENCH ROPE UNSOLDERED

Item #

Inches

0 — 164'

— 131.2'

— 131.2'

1 — 131.2'

— 196.8'

— 131.2'

2 — 65.6'

— 65.6'

3 —

## FIGARO

— 328'

4 — 328'

— 328'

— 328'

— 328'

5 — 328'

— 328'

— 164'

6 — 328'

— 328'

— 328'

— 328'

7 —

JFC-250

JFC-300

JFC-330

JFC-340

JFC-345

JFC-350

JFC-360

JFC-370

L-140/1-3S

L-160/1-3S

L-180/1-3S

L-110/1-3S

L-140/1-1SCS

L-160/1-1SCS

L-180/1-1SCS

L-110/1-1SCS

L-140/1-3SCS

L-160/1-3SCS

L-180/1-3SCS

L-110/1-3SCS



[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains

| Minimum |      | FIGARO                                                                              | Item #             |
|---------|------|-------------------------------------------------------------------------------------|--------------------|
| Inches  | 328' |    | L-140/1-5SCS       |
| 0       | 328' |    | L-160/1-5SCS       |
|         | 328' |    | L-180/1-5SCS       |
|         | 164' |    | L-110/1-5SCS       |
| 1       | 328' |    | L-140/102SCS       |
|         | 328' |    | L-160/102SCS       |
|         | 328' |    | L-180/102SCS       |
|         | 328' |    | L-110/102SCS       |
| 2       | 164' |    | L-1150/1-3/4F      |
|         | 82'  |    | L-118/1-1/2F       |
|         | 164' |    | L-110/1-2-1-8S/DC4 |
| 3       | 164' |    | L-1120/1-1S/DC4    |
|         | 82'  |    | L-1150/1-1/DC4     |
| 4       | 82'  |    | L-1150/1-3/DC4     |
|         | 82'  |    | L-1150/1-8S/DC4    |
|         | 164' |    | L-118/1-1/DC2      |
| 5       | 82'  |    | L-1220/1-6/DC4     |
|         | 492' |   | L1-250/1-1SF       |
| 6       | 328' |  | L1-280/1-1SF       |
|         | 328' |  | L-180/1-1SN1       |
|         | 82'  |  | L-812S/DC2         |
| 7       | 82'  |  | L-815S/DC2         |



# Brass Chains


Minimum

## I LOVE YOU

Item #

Inches

0 — 164'




LOVE-8/DC2

— 164'



LV-6/DC1

— 82'



LV-8/DC1

1 — 164'



AM-6/DC1

— 82'



AM-8/DC1

2 —

—

—

—

3 — 164'

## BATUTTA



BATUTTA/1.8MM  
DISCONTINUED

— 164'



MR-30M18/DCB

— 164'



MR-50M18/DCB

— 164'



MR-50M19/DC2

4 — 164'



MR-40M19/DC6

— 164'



MR-50M19/DC6

— 164'




MR-50E1/DCR

5 — 164'

—

—

6 — 164'



MAR-06

—

—

7 — 164'



MAR-08

— 164'




MAR-10

— 164'

—

7 —

## MADEIRA





Brass Chains

Minimum

MADEIRA

Item #

Inches

0 — 82'  MAR-12

— 82'  MAR-14

1 — MARITIME

— 328'  MT-08A/DC2

— 164'  MT-10A/DC2

2 — 164'  MT-12A/DC2

— 328'  MT-08A/DC6

— 164'  MT-10A/DC6


3 — 164'  MT-12A/DC6

— 164'  MT-08B/DC2

— 164'  MT-10B/DC2

4 — 164'  MT-12B/DC2

— 164'  MT-116/DC2

— 164'  MT-1200/DC2

5 — 82'  MT-1200N/CSR

MOSAIC

6 — 164'  MZ-30

U.S. PAT. Des. 277,368

— 164'  MZ-40

U.S. PAT. Des. 277,368

— 82'  MZ-50

U.S. PAT. Des. 277,368

www.Garlanchain.com

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



## Brass Chains

Minimum

### BOSTON LINK

Item #

Inches

0 — 328'

— 328'

— 984'

— 328'

1 — 164'

— 164'

— 98.4'

2 —

—

—

3 —

—

—

4 —

—

—

5 —

—

— 98.4'

131.2'


6 —

— 65.6'

—

49.2'

7 —



N-12

N-15

N-18


N-22

N-30

N-40

N-18/DC2

### CASTED NUGGET




NB-06  
DISCONTINUED

NB-09  
DISCONTINUED

NB-17  
DISCONTINUED

### PONY TAIL



PT-50

PT-55

PT-55/V

PT-70

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains

Minimum

## PONY TAIL

Item #

Inches

0 — 32.8'



PT-200

1220SPH  
DISCONTINUED

1 —

—

## NEW WAVE

2 — 82'



Q-1

Q-2


Q-8C

3 —

—

## SNAKE

— 164'



S-1.6

S-1.9

S-2.4

S-3.2

S-4.2

65558  
DISCONTINUED

S-1.9/SQ

S-2.4/SQ

S-8.0/DOME

S-4.0/FLAT

5 —

—

—

6 —

—

7 —

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains


Minimum

## SNAKE

Item #

Inches

0 — 164'



S-6.0/FLAT

S-8.0/FLAT


S-10/FLAT

S-12/FLAT

SK-12/FLAT  
DISCONTINUED

R-1.9  
DISCONTINUED

## SWIRL




SO-12  
DISCONTINUED

SO-16  
DISCONTINUED

SO-20  
DISCONTINUED

## MESH



SS-MDC-60  
DISCONTINUED

SS-MDC-80  
DISCONTINUED

SS-MDC-100  
DISCONTINUED

[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



# Brass Chains


Minimum

## STRIPE

Item #

Inches

0 — 164'



STR-40

— 164'

STR-55


— 82'

STR-70

1 —

## TRIPLE HERRINGBONE

— 164'



THB-06/DC2

2 — 164'

THB-08/DC2

— 82'

THB-10/DC2

3 — 164'

THB-06/DC6

— 164'

THB-08/DC6


— 82'

THB-10/DC6

4 —

## VENETIAN

— 656'



V-1.4  
DISCONTINUED

V-1.0S/DC4

5 — 656'

V-1.5S/DC4

— 328'

V-2.5S/DC4


— 164'

VT-33/DC8

6 —

## ELECTRO-FORMED

328'



Z-4N

Z-43A14/DC2  
DISCONTINUED

7 —

[www.Garlanchain.com](http://www.Garlanchain.com)


Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered

**ELECTRO-FORMED**

Inches

0 —  
— 656'  
— 328'  
— 164'  
1 — 164'  
—  
— 328'  
— 164'  
2 — 164'  
— 164'  
—  
—  
3 —  
—  
—



**Z-44A14/DC2**  
DISCONTINUED

**Z-416A**

**Z-422A**

**Z-430A**

**Z-440A**

**Z-424KN/30-35**  
DISCONTINUED

**ZHN-30B/D**

**ZB-12**

**ZC-15**


**LF-6**  
DISCONTINUED

**LF-8**  
DISCONTINUED

**ZD-30B**  
DISCONTINUED

**GALAXY**

328'  
4 —  
— 164'  
—  
— 98.4'  
5 — 82'  
—  
—



**ZERO-50WW**


**ZERO-60WW**

**ZERO-80WW**

**ZERO-100WW**

**FANCY**

6 —  
—  
—  
—  
7 —



**FB-12**

**GTC-5**  
DISCONTINUED

**LE-65**  
DISCONTINUED



# Brass Chains


Minimum

## STAINLESS STEEL

Item #

Inches  
0  
—  
—  
—  
328'  
—  
328'  
1  
—  
—  
—  
2  
—  
—  
—  
3  
—  
—  
—  
4  
—  
—  
—  
5  
—  
—  
—  
6  
—  
—  
—  
7

492'



ST-160AF

ST-160F  
DISCONTINUED

ST-180AF




ST-180F

ST-180F (K)  
DISCONTINUED

ST-180DF  
DISCONTINUED



# Brass Chains

| <u>Minimum</u> |                                                                                     | <u>Item #</u> |
|----------------|-------------------------------------------------------------------------------------|---------------|
| Inches         |                                                                                     |               |
| 0 —            |                                                                                     |               |
| 65.6'          |    | 1125DPRO      |
| —              |                                                                                     |               |
| 49.2'          |    | 1127DPRO      |
| 1 —            |                                                                                     |               |
| 164'           |    | 116RSK        |
| —              |                                                                                     |               |
| 65.6'          |    | 1200RSK       |
| 2 —            |                                                                                     |               |
| 65.6'          |    | 1230RSK       |
| —              |                                                                                     |               |
| 82'            |    | 116WSK        |
| 3 —            |                                                                                     |               |
| 65.6'          |    | 1200WSK       |
| —              |                                                                                     |               |
| 65.6'          |    | 1250WSK       |
| 4 —            |                                                                                     |               |
| 65.6'          |   | WR-1250/3MM   |
| —              |                                                                                     |               |
| 82'            |  | SK-729/S      |
| 5 —            |                                                                                     |               |
| 65.6'          |  | SK-729/M      |
| 6 —            |                                                                                     |               |
| 49.2'          |  | SK-729/L      |
| 7 —            |                                                                                     |               |





# Brass Chains

| Minimum |       | Item #                                                                              |              |
|---------|-------|-------------------------------------------------------------------------------------|--------------|
| Inches  |       |                                                                                     |              |
| 0       | 656'  |    | J-180BLWS    |
|         |       |                                                                                     |              |
|         | 164'  |    | JYC-1324/0.8 |
|         |       |                                                                                     |              |
| 1       | 98.4' |    | JYC-1324/1.0 |
|         |       |                                                                                     |              |
|         | 98.4' |    | JYC-1324/1.2 |
|         |       |                                                                                     |              |
| 2       |       |                                                                                     |              |
|         | 82'   |    | KT-D112DM    |
|         |       |                                                                                     |              |
|         |       |                                                                                     |              |
|         | 32.8' |    | SS-2586      |
| 3       |       |                                                                                     |              |
|         |       |                                                                                     |              |
|         | 65.6' |    | SS-2818      |
|         |       |                                                                                     |              |
| 4       |       |                                                                                     |              |
|         | 328'  |    | SCR-35       |
|         |       |                                                                                     |              |
|         | 328'  |  | SCR-50       |
|         |       |                                                                                     |              |
| 5       | 328'  |  | FHBN-06      |
|         |       |                                                                                     |              |
|         | 164'  |  | FHBN-08      |
|         |       |                                                                                     |              |
| 6       | 82'   |  | WT-10        |
|         |       |                                                                                     |              |
|         | 65.6' |  | SC-115S/DC   |
|         |       |                                                                                     |              |
| 7       |       |                                                                                     |              |



## Brass Chains

| Minimum |       | Item #                                                                              |            |
|---------|-------|-------------------------------------------------------------------------------------|------------|
| Inches  |       |                                                                                     |            |
| 0       | 164'  |    | HF-1.2     |
| —       | 164'  |    | HF-1.5     |
| —       | 82'   |    | HF-2.0     |
| 1       | 82'   |    | HF-2.5     |
| —       | 65.6' |    | HF-2.7     |
| 2       | 164'  |    | 210-BSS    |
| —       | 65.6' |    | JYC-2016/P |
| 3       | 65.6' |    | JYC-2016   |
| —       | 164'  |    | SS-3568    |
| 4       | 65.6' |   | SS-3569    |
| —       | 98.4' |  | SS-3887    |
| 5       | 65.6' |  | SS-3888    |
| —       | 82'   |  | J-212B2    |
| 6       | 328'  |  | 235-SCF    |
| —       | 656'  |  | 240B5SFN   |
| 7       |       |                                                                                     |            |


[www.Garlanchain.com](http://www.Garlanchain.com)

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



## Brass Chains

| Minimum |       | Inches |  | Item #         |
|---------|-------|--------|------------------------------------------------------------------------------------|----------------|
|         |       |        |                                                                                    |                |
| 0       | 656'  |        |                                                                                    | FG-140SDF(3:1) |
|         | 328'  |        |                                                                                    | FG-180SDF(3:1) |
|         | 328'  |        |                                                                                    | FG-110SDF(3:1) |
| 1       | 164'  |        |                                                                                    | BB-08/1-3S     |
|         | 164'  |        |                                                                                    | BB-10/1-3S     |
|         | 164'  |        |                                                                                    | BB-12/1-3S     |
| 2       | 328'  |        |                                                                                    | FG-110SCH      |
|         | 164'  |        |                                                                                    | FG-112SCH      |
| 3       | 164'  |        |                                                                                    | FG-114SCH      |
|         | 164'  |        |                                                                                    | FG-118SCH      |
| 4       | 328'  |        |                                                                                    | SS-3250        |
|         | 164'  |        |                                                                                    | SS-3252        |
| 5       | 98.4' |        |                                                                                    | SS-3254        |
|         | 328'  |        |                                                                                    | JFG-150SH(3:1) |
|         | 328'  |        |                                                                                    | JFG-180SH(3:1) |
| 6       | 164'  |        |                                                                                    | YFG-180SC      |
|         | 82'   |        |                                                                                    | HI-178R        |
|         | 328'  |        |                                                                                    | FG-08SBW       |
| 7       |       |        |                                                                                    |                |



## Brass Chains

| Minimum |       |  | Item #            |
|---------|-------|--|-------------------|
| Inches  |       |  |                   |
| 0       | 328'  |  | CRB-08/1-1S/DC2   |
| —       | 164'  |  | CRB-10/1-1S/DC2   |
| —       | 164'  |  | CRB-12/1-1S/DC2   |
| 1       | 82'   |  | CRB-15/1-1S/DC2   |
| —       | 164'  |  | C-210/1-1S/DCT2R1 |
| —       | 164'  |  | C-212/1-1S/DCT2R1 |
| 2       | 164'  |  | C-10SA52/1-1      |
| —       | 164'  |  | C-12SA52/1-1      |
| 3       | 82'   |  | C-15SA52/1-1      |
| —       | 328'  |  | MT-06/DC2         |
| —       | 164'  |  | MT-280F           |
| 4       | 164'  |  | MT-280/DC4        |
| —       | 164'  |  | MT-08B/1-1N       |
| —       | 164'  |  | MT-10B/1-1N       |
| 5       | 82'   |  | ST-812FR          |
| —       | 82'   |  | ST-815FR          |
| 6       | 82'   |  | ST-825FR          |
| —       | 328'  |  | EBR-06/DC2R       |
| —       | 98.4' |  | JYC-1662          |
| 7       |       |  |                   |



www.Garlanchain.com

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



## Brass Chains

| Minimum |        |                                                                                     | Item #       |
|---------|--------|-------------------------------------------------------------------------------------|--------------|
| Inches  |        |                                                                                     |              |
| 0       | 32.8'  |    | RSK-06       |
|         |        |                                                                                     |              |
|         | 32.8'  |    | RSK-08       |
|         |        |                                                                                     |              |
| 1       | 16.4'  |    | RSK-10       |
|         |        |                                                                                     |              |
|         | 16.4'  |    | RSK-12       |
|         |        |                                                                                     |              |
|         | 32.8'  |    | X-1222       |
|         |        |                                                                                     |              |
| 3       | 32.8'  |    | X-16         |
|         |        |                                                                                     |              |
|         | 32.8'  |    | X-1222/4CS   |
|         |        |                                                                                     |              |
| 4       | 32.8'  |  | X-16/4CS     |
|         |        |                                                                                     |              |
|         | 32.8'  |  | X-12/16B     |
|         |        |                                                                                     |              |
| 5       | 328'   |  | 8K-3S        |
|         |        |                                                                                     |              |
|         | 328'   |  | 1302         |
|         |        |                                                                                     |              |
|         | 328'   |  | QF-135DF/6BS |
|         |        |                                                                                     |              |
| 6       | 328'   |  | KDK-1675     |
|         |        |                                                                                     |              |
|         | 131.2' |  | KYT-6        |
|         |        |                                                                                     |              |
|         | 131.2' |  | BSC-8        |
| 7       |        |                                                                                     |              |

www.Garlanchain.com

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



## Brass Chains

| Minimum |        | Inches |  | Item #     |
|---------|--------|--------|--|------------|
|         |        |        |  |            |
| 0       | 131.2' |        |  | JFC-300R   |
|         | 131.2' |        |  | JFC-330R   |
|         | 131.2' |        |  | JFC-340R   |
|         | 65.6'  |        |  | JFC-350R   |
| 1       | 32.8'  |        |  | HFR-10/L&S |
|         | 32.8'  |        |  | HFR-12/L&S |
| 2       | 32.8'  |        |  | HC-08/LS-B |
|         | 32.8'  |        |  | HC-08/LS-D |
|         | 32.8'  |        |  |            |
| 3       | 32.8'  |        |  | PT-45      |
|         | 98.4'  |        |  | PT-50V     |
|         | 49.2'  |        |  | PT-60V     |
| 4       | 49.2'  |        |  | PT-70V     |
|         | 32.8'  |        |  | PT-200V    |
| 5       | 49.2'  |        |  | PT-70WH    |
|         | 32.8'  |        |  | PT-200WH   |
| 6       | 32.8'  |        |  | PT-200W    |
| 7       |        |        |  |            |



## Brass Chains

| Minimum |        | Inches |  | Item #      |
|---------|--------|--------|--|-------------|
|         |        |        |  |             |
| 0       | 131.2' |        |  | BRICK-SS    |
|         | 164'   |        |  | BRICK-G1    |
|         | 164'   |        |  | BRICK-G1/A  |
| 1       | 131.2' |        |  | BRICK-G1/H  |
|         | 131.2' |        |  | BRICK-G1/T  |
| 2       | 131.2' |        |  | JYC-1247    |
|         | 65.6'  |        |  | BRICK-G1/TX |
|         | 65.6'  |        |  | SSC-B1/TX   |
| 3       | 65.6'  |        |  | SSC-B2/TX   |
|         | 65.6'  |        |  | SSC-B3/TX   |
| 4       | 131.2' |        |  | BRICK-ILS5  |
| 5       | 65.6'  |        |  | KYT-3/UP    |
|         | 131.2' |        |  | KYT-4       |
| 6       | 131.2' |        |  | YIL-DS      |
|         | 131.2' |        |  | ILS-G18     |
| 7       |        |        |  |             |



## Brass Chains

| Minimum |        | Inches |   | Item #  |
|---------|--------|--------|-------------------------------------------------------------------------------------|---------|
|         |        |        |                                                                                     |         |
| 0       | 164'   |        |    | HO-04   |
|         |        |        |                                                                                     |         |
|         | 131.2' |        |    | HO-05S  |
|         |        |        |                                                                                     |         |
|         | 164'   |        |    | ILS-SOS |
| 1       |        |        |                                                                                     |         |
|         | 82'    |        |    | MS-18   |
|         |        |        |                                                                                     |         |
|         | 82'    |        |    | MS-19   |
| 2       |        |        |                                                                                     |         |
|         | 98.4'  |        |    | MS-20   |
|         |        |        |                                                                                     |         |
|         | 82'    |        |    | BSF-21  |
| 3       |        |        |                                                                                     |         |
|         | 82'    |        |    | SS-2297 |
|         |        |        |                                                                                     |         |
|         | 65.6'  |        |    | SS-2298 |
| 4       |        |        |                                                                                     |         |
|         | 65.6'  |        |    | MHD-6   |
|         |        |        |                                                                                     |         |
|         | 104'   |        |    | 3CP-IL  |
| 5       |        |        |                                                                                     |         |
|         | 65.6'  |        |   | 4CP-IL  |
|         |        |        |                                                                                     |         |
|         | 164'   |        |  | 6CP-IL  |
| 6       |        |        |                                                                                     |         |
|         | 82'    |        |  | 8CP-IL  |
|         |        |        |                                                                                     |         |
|         | 32.8'  |        |  | 10CP-IL |
| 7       |        |        |                                                                                     |         |

www.Garlanchain.com

Tel 508-399-7288 Fax 508-761-8720

(X) = unsoldered



## Brass Chains

| Minimum |        | Item #        |
|---------|--------|---------------|
| Inches  | 328'   |               |
| 0 —     | —      | FOR-45        |
| —       | 164'   | FOR-06        |
| —       | 164'   | FOR-08        |
| 1 —     | 98.4'  | FOR-10        |
| —       | 328'   | FOH-3000      |
| —       | 164'   | FOH-5000      |
| 2 —     | 65.6'  | FOH-6000      |
| —       | 164'   | FOH-5000/R    |
| —       | 65.6'  | FOH-6000/R    |
| 3 —     | 328'   | V-2.0S/DC4    |
| —       | 328'   | V-4.0/DC4 (X) |
| 4 —     | 164'   | AR-10         |
| —       | 82'    | AR-14         |
| 5 —     | 98.4'  | JYC-1617 (X)  |
| —       | 98.4'  | JYC-1639 (X)  |
| 6 —     | 131.2' | JYC-1412 (X)  |
| —       | 328'   | TK-C/S (X)    |
| —       | 16.4'  | 2300SAR/1     |
| 7 —     |        |               |

## Style Index

|                                     |                      |                             |                         |
|-------------------------------------|----------------------|-----------------------------|-------------------------|
| Arabesque .....                     | 48                   | Herringbone .....           | 25, 26, 27              |
| Banana .....                        | see C Chain          | Ivy .....                   | 23                      |
| Barley Corn .....                   | 5, 37                | Leaf .....                  | 37                      |
| Batutta .....                       | 31                   | Linked Pearl .....          | 47                      |
| Belcher .....                       | 41                   | Love .....                  | 31                      |
| Bismark .....                       | 8                    | Madeira .....               | 31                      |
| Boston Link .....                   | 33                   | Maritime .....              | 32, 43                  |
| Box Chain .....                     | 5, also see Venetian | Mesh .....                  | DISCONTINUED 35         |
| Braided Rope .....                  | 17                   | Mosiac .....                | 32                      |
| Brick .....                         | 16, 17, 43, 44 46    | New Wave .....              | 34                      |
| Byzantine .....                     | 17                   | Nugget Wave .....           | 33                      |
| C Chain .....                       | 7, 8, 14, 48         | Nugget Chain .....          | see Galaxy, Flat Nugget |
| Cable .....                         | 4, 11, 41            | Peppermint Stripe .....     | 23                      |
| Cleopatra .....                     | 18                   | Pony Tail .....             | 33, 45                  |
| Cluster .....                       | DISCONTINUED 28      | Rope (double cable) .....   | 19                      |
| Cobra .....                         | 7, 15, 37            | Rope ( Electro-formed ..... | 37                      |
| Crab .....                          | 18, 43               | Rose .....                  | 44                      |
| Curb .....                          | 1, 2, 3, 8, 9, 39    | S Chain .....               | see Scroll              |
| Curb w/ Stone .....                 | 3, 47                | Scroll .....                | 5, 11, 40               |
| Diamond .....                       | 6                    | Serpentine .....            | 6, 7, 13, 14            |
| Double Cable .....                  | see Rope             | Serpentine Double .....     | 14                      |
| Double Curb .....                   | 18, 19, 40           | Serpentine Twisted .....    | see Twisted Nugget      |
| Double French Rope (unsol) .....    | 20                   | Singapore .....             | 40                      |
| Double Herringbone .....            | see Herringbone      | Shad Belly .....            | 6, 7, 8, 13             |
| Electro-Formed .....                | 36, 37               | Single Herringbone .....    | see Victoria            |
| Emblem .....                        | 20, 43               | Snake .....                 | 34, 35                  |
| Figaro .....                        | 4, 22, 29, 30, 42    | Station .....               | 5, 44                   |
| Figure 8 .....                      | 4                    | Striped Triple Rope .....   | 36                      |
| Fishbone .....                      | 21, 37               | Swirl .....                 | DISCONTINUED 35         |
| Flat Nugget .....                   | 7, 13, 15            | Tripple Herringbone .....   | 36                      |
| Foxtail .....                       | 20, 21, 48           | Turkish Rope .....          | 27, 45, 47              |
| French Braid .....                  | 17                   | Twisted Herringbone .....   | 40                      |
| French Rope (soldered) .....        | 28                   | Twisted Nugget .....        | 6                       |
| French Rope (soldered) filled ..... | 28, 45               | Twisted Rope .....          | 19                      |
| French Rope (unsol) .....           | 29, 45               | Twisted Whisper .....       | 15                      |
| Galaxy .....                        | 23                   | Venetian .....              | 36, 48                  |
| Garibaldi .....                     | 24                   | Victoria .....              | 5                       |
| Grace .....                         | 22, 23               | Whisper .....               | 7, 15                   |
| GC-GC .....                         | 24, 25, 47           | X-Chain .....               | 44                      |
| Heart Cobra .....                   | 17, 18               | Zebra .....                 | 7, 14                   |



**GARLAN CHAIN COMPANY INC.**

1903 COUNTY STREET, P.O. BOX 3186,  
SOUTH ATTLEBORO, MA 02703  
TEL 508-399-7288 FAX 508-761-8720  
Web Site: [www.garlanchain.com](http://www.garlanchain.com)  
E-mail: [sales@garlanchain.com](mailto:sales@garlanchain.com)